

## **COLLEGE POLICY DOCUMENT**

## **Science Laboratories Safety Policy**

Issue No.: 01	Document Number: STAN:
Issue Date: 11 <sup>th</sup> March 2016	Originator: Wayne Marshall
Version: 02	Responsibility: Principal
Reason for version change:	Dated: 9 <sup>th</sup> March 2016
Authorised by: Wayne Marshall	Signature:
Date: 8 <sup>th</sup> August 2017	

This policy has been drawn up to ensure that the college laboratories are checked at the completion of classes each day.

Each laboratory will be checked by a member of staff who has not been using it prior to the end of studies that day. The check lists are shown in appendix 1 and 2 (attached).

A schedule will be drawn up at the start of each new term and will show the person(s) responsible.

Reviewed: July 2016 and August 2017.

Next review: August 2018



## **Physics Laboratory – Check List**

Could the person shown below please ensure please check the following and sign the form.

Time:

Date:

Items to be checked	Comments	Y or N
All gas taps are off		
Radioactive cupboard is locked		
All electrical appliances are switched off at the socket		
No water is left running		
Any equipment is put back in its correct place		
Benches are left clear ready for the next day		
Windows are closed and locked		
The lights are off and doors locked in the lab and prep room		
	All gas taps are off  Radioactive cupboard is locked  All electrical appliances are switched off at the socket  No water is left running  Any equipment is put back in its correct place  Benches are left clear ready for the next day  Windows are closed and locked  The lights are off and doors locked in	All gas taps are off  Radioactive cupboard is locked  All electrical appliances are switched off at the socket  No water is left running  Any equipment is put back in its correct place  Benches are left clear ready for the next day  Windows are closed and locked  The lights are off and doors locked in

Please pass to the Principal daily upon completion

Name:



## **Chemistry Laboratory – Check List**

Could the person shown below please ensure please check the following and sign the form.

Na	me: Date:	Time:	
	Items to be checked	Comments	Y or N
1	All gas taps are switched off		
2	The fume cupboard is switched off		
3	All electrical appliances are switched off at the socket		
4	No water is left running		
5	Any flammables or highly hazardous reagents are suitably sealed/stopped and are placed in the prep room or fume cupboard		
6	The toxic cupboard under the fume cupboard is locked		
7	The fan behind the teachers seat is switched on permanently		
6	Benches are left clear ready for the next day		
7	Windows are closed and locked		
8	The lights are off and doors locked in the lab and prep room		

Please pass to the Principal daily upon completion.